

Figure 1




Figure 24




Figure ZB

4/63




Figure 3




Figure 4




Figure 5




Figure 6





Figure 7



9/63





Figure 8A

10/63



11/63





Figure 8C

#### 12/63






Figure 10

15/63




Figure 11

16/63





Figure 12



-Igure 13

18/63




Figure 14





Figure 15



#### 21/63

### Concentration-dependent inhibition




Figure 17

22/63

### Curve-shift




Figure 18




Figure 19

#### 24/63




Figure 20






Figure 21






Figure 22

### 27/63

# Control (serum-free)




Figure 23

### 28/63

# 18:0 LPG 10µM




Figure 24

#### 29/63

# 18:0 LPG 30µM




Figure 25

### 30/63

# 14:0 LPA 10µM




Figure 26

#### 31/63

### 14:0 LPA 10µM + 18:0 LPG 10µM




Figure 27

#### 32/63

# 14:0 LPA 10µM + 18:0 LPG 30µM




Figure 28

### 33/63

# Control




Figure 29

### 34/63

### 10µM 18:0 LPG




Figure 30

### 35/63

# 30µM 18:0 LPG




Figure 31

36/63

### Control




Figure 32

### 37/63

# 10µM 18:0 LPG




Figure 33

38/63

## 30µM 18:0 LPG




Figure 34




Figure 35




Figure 36

### 41/63

### Control (Serum-free)




Figure 37

#### 42/63

# 14:0 LPG (30µM) : LPA1 antagonist




Figure 38

### 43/63

# 18:0 LPG (30μM) : LPA1/2 antagonist




Figure 39

#### 44/63

# 18:1 LPG (30µM) : LPA1/2/3 antagonist




Figure 40

### 45/63

## Control (18:1 LPA 10µM)




Figure 41

#### 46/63

## 18:1 LPA 10μM + 14:0 LPG (30μM)




Figure 42

### 47/63

# 18:1 LPA 10µM + 18:0 LPG (30µM)




Figure 43

48/63

## 18:1 LPA 10μM + 18:1 LPG (30μM)




Figure 44




Figure 45




Figure 46




Figure 47

52/63

•	Inhibition (%)	
	Without LPA	With LPA
14:0 LPG (30µM)	876	26%
18:0 LPG (30µM)	41%	37%
18:1 LPG (30µM)	29%	39%

Figure 48





Figure 49

54/63

· · · · · · · · · · · · · · · · · · ·	Inhibition (%)	
	Without LPA	With LPA
14:0 LPG (30µM)	4%	16%
18:0 LPG (30μM)	46%	49%
18:1 LPG (30µM)	13%	32%
		1

Figure 50

55/63



1µM 18:1 LPA

Figure 51

56/63




Figure 52




Figure 53




Figure 54




Figure 55






Figure 56

61/63

Figure 57








Figure 58




Figure 59